# EAR PROTECTION

www.foxcanada.net | sales@foxcanada.net | 1-866-548-8147

## **Disposable Earplugs**

#### **EZ200 POLYURETHANE** FOAM EARPLUGS

- Smooth foam earplugs fit comfortably while blocking out unwanted noise
- Each pair is packaged for convenient access
- Brightly-coloured for enhanced visibility
- Disposable
- Super soft polyurethane foam
- Low pressure foam is easy to roll in all
- temperatures and is slow to recover Designed for ease of insertion and removal
- NRR dB: 30
- Size: One-Size
- Certification(s): ANSI S3.19-1974, CSA Class AL
- Shape: Barrel

#### Sold per box

Model No.	Description	Qty/Box (Pairs)	i i i
SFM651	Uncorded	200	
SFM650	Corded	100	Safety Products

#### MAX<sup>®</sup> FOAM

- · The world's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort .
- Contoured design easier to insert,
- resists tendency to back-out of ear canal Polyurethane foam enhances comfort,
- especially for long-term wear
- Smooth, soil-resistant skin
- prevents dirt build-up Attenuation tested in accordance
- with ANSI \$3,19-1974
- NRR 33 dB. CSA Class AL

#### Sold per box

Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Honeywell
SD630 SD631	MAX-1 MAX-30	Uncorded Corded	200 100	HOWARD
20631	MAX-30	Corded	100	_ LEIGH

#### MULTI MAX<sup>®</sup> MULTI-SIZED FOAM

- Multi Max® offers flexibility, protection and economy
- in hearing protection with its two-sizes-in-one design
- Improves individual fit while simplifying inventory Smooth, soil-resistant polyurethane
- foam skin prevents dirt build-up
- Expands to fit virtually every wearer
- Available in poly or paper bags
- Attenuation tested in accordance with S.3.19-1974
- NRR 31 dB, CSA Class AL
- Sold per box

#### Honeywell

#### HOWARD

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SM556	MM-1	Poly Bag	200

#### LASER-TRAK® METAL DETECTABLE EARPLUGS

- Self-adjusting foam expands to fit virtually every wearer Non-ferrous metal and bright colours are easily detected
- by visual and automated inspections Blue metalized cord offers additional protection
- in highly sensitive production areas Contoured T-shape for easy handling and wear
- Comfortable long term wear
- NRR 33 dB, CSA Class AL

#### Sold per box

Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Honeywell
SAK189	LT-30	Corded, Polybag	100	HOWARD LEIGHT



- · Smooth foam earplugs fit comfortably while blocking out unwanted noise
- Each pair is packaged for convenient access
- Brightly-coloured for enhanced visibility
- Disposable Super soft polyurethane foam
- Low pressure foam is easy to roll and slow to recover
- Flat back helps assist with positioning and achieving the ideal fit
- Tapered shape allows for easier insertion
- NRR dB: 32

SFM651

SEM650

SD630

SD631

- Size: One-Size •
- Certification(s): ANSI S3.19-1974, CSA Class AL
- Shape: Tapered

Sold per box



SM563

SM558

HOWARD

SFM649

SFM648

Model No.	Description	Qty/Box (Pairs)	· ·
SFM649	Uncorded	200	ZEN/TH <sup>®</sup>
SFM648	Corded	100	

#### LASER LITE® MULTI-COLOUR FOAM

- · Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI \$3.19-1974
- NRR 32 dB, CSA Class AL SM562

Sold per box

Mode Mfg Qty/Box No. No. Description (Pairs) Honeywell Uncorded, Poly Bag SM562 11-1 200 SM563 LL-30 Corded, Poly Bag 100

#### MAX LITE® LOW PRESSURE FOAM


- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Available in poly or paper bags Attenuation tested in accordance with ANSI \$3.19-1974
- NRR 30 dB, CSA Class AL

Sold per box

Model No.	Mfg. No.	Description	Qty/Box /(Pairs)	
SM558	LPF-1	Uncorded, Poly Bag	200	_
SM559	LPF-30	Poly Cord, Poly Bag	100	Honeywell
SM560	LPF-30-PB	Corded, Paper Bag	100	•
SM561	LPF-30-P	Cotton Cord, Paper bag	100	HOWARD LE <b>IGHT</b>
-				

#### FIRMFIT<sup>™</sup> SINGLE USE EARPLUGS

- Low pressure foam
- Exerts low expansion pressure on the ear canal
- Slow recovery rate gives you plenty of time to correctly insert in ear canal
- Distinct warning orange colour makes compliance checks easy









## **Disposable Earplugs**

#### E-A-RSOFT<sup>TM</sup> YELLOW NEONS<sup>TM</sup> & BLASTS<sup>™</sup>EARPLUGS

#### THE SOFTEST, SMOOTHEST, HIGHEST NRR EARPLUGS AVAILABLE TODAY!

SI423

- · Advanced foam formulation that provides low-pressure comfort
- Available uncorded or with breakaway cord
- Two sizes available for optimum comfort and protection
- Yellow E-A-R<sup>™</sup> trademark colour assures proven protection and high quality .
- . Laboratory tested NRR 33 dB
- Also available in Yellow Neons™ metal detectable . Both the cord and the plugs are metal detectable
- CSA class AL
- Sold per box





Model No.	Mfg. No.	Description	Size	Qty/Box (Pairs)
UNCOR	DED			
SJ423	312-1250	Yellow Neons <sup>™</sup>	Regular	200
SJ425	312-1251	Yellow Neons <sup>™</sup>	Large	200
SJ427	312-1252	Blasts™	Regular	200
CORDE	D			
SJ424	311-1250	Yellow Neons <sup>™</sup>	Regular	200
SJ426	311-1251	Yellow Neons <sup>™</sup>	Large	200
SJ428	311-1252	Blasts™	Regular	200
CORDE	D METAL	DETECTABLE		
SAF802	311-4106	Yellow Neons <sup>™</sup>	Regular	200

# EAR. FARsoft

SJ428

SI427

## E-A-R<sup>™</sup> TAPERFIT<sup>™</sup> 2 FOAM

- Self-adjusting polyurethane foam provides
- low-pressure comfort with excellent attenuation
- Dermatologically safe and non-irritating foam
- NRR 32 dB, CSA Class AL
- Available in two sizes: Regular and Plus

#### Sold per box





SF 393

Model No.	Mfg. No.	Description	Size	Qty/Box (Pairs)
SE393 SE918	312-1219 312-1221	Uncorded Uncorded	Regular Plus	200 200
SE917	312-1221	Corded	Regular	200
SE919	312-1224	Corded	Plus	200

#### **1100 FOAM EARPLUGS**

- · Individually packaged for convenience
- Smooth, dirt resistant surface
- Soft hypo-allergenic polyurethane
- foam offers superior comfort
- NRR 29 dB, CSA Class AL
- Bright orange for visibility

#### Sold per box



Model	Mfg.		Qty/Box	
No.	No.	Description	(Pairs)	
SI762	1100	Uncorded	200	
SAG359	1110	Corded	100	

#### 3MTM E-A-RTM CLASSICTM FOAM EARPLUGS

- · Slow recovery PVC foam provides comfort with low pressure
- Moisture resistant and the foam will maintain its comfort, fit and critical recovery characteristics
- Shape equalizes pressure throughout the ear canal as it expands
- Flame retardant and dermatologically safe foam is not irritating
- The Classic<sup>™</sup> Plus offers the highest NRR, 33 dB, has a longer high performance foam plug for increased protection and fits more deeply into the ear canal.
- The Classic™ Small has a more narrow design for smaller ear canal
- One size fits all
- Colour: Yellow



#### Mode Mfg. NRR Qty/Box (Pairs) No. Description UNCORDED SA681 310-1001 Foam - Pillow 29 200 SH106 313-5555 Foam - Paper Pak 29 200 SH107 310-1101 Plus Foam 33 200 SH109 310-1103 Small Foam 29 200 SAJ486 312-1201 Polybag 29 200 CORDED SE649 311-1101 Foam 29 200 SH108 311-1105 Plus Foam 33 200 SH110 311-1106 Small Foam 29 200

#### E-A-R<sup>™</sup> PUSH-INS<sup>™</sup> EARPLUGS

- · Easy fit with no roll down required
- E.A.R.form<sup>™</sup> yellow foam tip for ultimate comfort · Blue stem allows for hygienic insertion and removal
- CSA Class AL

NRR 28 dB



Model	Mfg.		Qty/Box	
No.	No.	Description	(Pairs)	
SAJ489	318-1002	Uncorded	200	
SAJ575	318-1003	Corded	200	
METAL D	DETECTABLE			
SAP857	318-3000	Corded	200	

#### SKULL SCREWS™ EARPLUGS

- · Easy grip for clean insertion
- · Look of metal, soft feel of foam
- The screw "threads" help achieve an optimum noise seal
- NRR 32 dB, CSA Class AL

Sold per box

# E AR

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAP424	P1300	Uncorded	120
SAP425	P1301	Corded	120





33



\$1762

## **Disposable Earplugs**

#### E-A-R<sup>TM</sup> E-Z-FIT<sup>TM</sup>

#### **COMFORTABLE FIT FOR SMALLER EAR CANALS!**

- · Low pressure, soft smooth polyurethane foam is easy to roll and selfadjusting for increased user comfort, with no full feeling in the ear
- Bell-shaped design with a wide flange allows for easy insertion and removal
- Designed to fit medium and small ear canals with increased comfort
- Safe and non-irritating to the ear canal .
- Laboratory tested NRR 28 dB
- Available one pair per poly bag uncorded • or with breakaway cord
- Sold per box

 CSA Z94.2 + CSA Class AL SH114 SH115 EAR Otv/Box NRE

No.	No.	Description	dB	(Pairs)
SH114	312-1208	Uncorded	28	200
SH115	312-1222	Corded	28	200

#### E-A-R<sup>™</sup> SOFTOUCH<sup>™</sup> EARPLUGS

#### SAFETY NEVER FELT THIS GOOD

- Innovative push-to-fit design eliminates need for rolling the foam tip
- Once the plugs are in the ear canals, the comfort lasts
- . Pistol-grip handle gives fingertip control and
- eliminates dirt transfer for better hygiene Tapered <sup>co</sup>nes slide in-and-out of the ears
- quickly, easily and fit correctly Soft seal helps provide an impressive NRR of 31 dB
- CSA Class AL •

Sold per box

SAS462



200

SAS462

#### GLIDE<sup>™</sup> FOAM EAR PLUGS


- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal

Corded

- Cord can be attached at any desired length
- 100% PVC-free, like all Moldex products and packaging, for a greener alternative

#### • NRR 30 dB, CSA Class AL

318-4001



#### E-A-RSOFT<sup>TM</sup> FX<sup>TM</sup> SHAPED EARPLUGS

SAH585

- Made of a custom polyurethane formulation for slow
- recovery and increased softness in the ear canal CSA Class AL .
- NRR 33 dB

Sold per box



No.	No.	Description	(Pairs)
SAH584	312-1260	Corded	200
SAH585	312-1261	Uncorded	200

#### NO-TOUCH<sup>™</sup> FOAM EAR PLUGS

- Innovative push-to-fit design eliminates
- need for rolling the foam tip
- Softness and comfort of a foam earplug without the hassle of rolling it down
- No reason to touch the foam for clean and comfortable protection
- NRR 29 dB, CSA Class AL

#### Sold per box

SAK145

51				
Aodel Io.	Mfg. No.	Description	Qty/Box (Pairs)	
AK145 AK146	P2000 P2001	Uncorded Corded	100 100	

#### SPARKPLUGS® MULTI-COLOURED FOAM EARPLUGS

- · Different colours in every package
- Fun coloured to spark up hearing
- protection program Tapered for easy insertion in
- anv size ear canal Non-irritating, smooth surface
- for added comfort NRR 33 dB, CSA Class AL
- Sold per box

## 

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAG838	6604	Uncorded	200
SAG839	6654	Corded	100
SED129	6615	Corded, metal detectable	100

#### PURA-FIT® FOAM EARPLUGS

- Longer length for easy fitting and removal
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- Bright green colour as a
- symbol of Moldex® quality SR831 NRR 33 dB, CSA Class AL

#### Sold per box



Model No.	Mfg. No.	Description	Qty/Box (Pairs)	
SR831	6800	Uncorded	200	
SAG837	6900	Corded	100	





	and the
S	
SAG838	

SAH854

SAK146

## **Disposable Earplugs & Dispensers**

#### HL400 EARPLUG DISPENSER

- Durable plastic design is an economical choice for dispensing earplugs
- Can be free-standing, or mounted to a wall or tabletop
- Easy-twist knob with 180° of access,
- makes dispensing earplugs easy
- Catch basin prevents earplugs from falling onto the ground
- Holds 400 pairs of Howard Leight disposable earplugs: MAX °, MAX ° Small, MAXLite °, Laser Lite °, FirmFit ° and Multi Max °
- · Dispenser can be refilled by either inserting a new prefilled canister, or reusing the empty canister and filling with earplugs by using the zip top bag
- · Earplugs sold separately

### Honeywell

#### HOWARD

Model No.	MFG No.	Description	
SGC408	HL400	HL400 Earplug Dispenser	

#### **REFILL CANISTERS**

REFILL CANISTERS Sold pe					
Model No.	Description	NRR db	Pairs /Refill	Qty /Case	
SGC415	Max <sup>®</sup> Single-Use Earplugs	33	400	2	
SGC416	Max <sup>®</sup> Small Single-Use Earplugs	30	400	2	
SGC417	Max Lite® Single-Use Earplugs	30	400	2	
SGC418	Laser Lite <sup>®</sup> Single-Use Earplugs	32	400	2	
SGC419	FirmFit <sup>®</sup> Single-Use Earplugs	30	400	2	
SGC420	Multi Max® Single-Use Earplugs	31	400	2	
BULK RE	FILLS			Sold per Box	
Model No.	Description	NRR db	Pairs /Refill	Qty /Case	
SA0209	Max <sup>®</sup> Single-Use Earplugs	33	200	10	
SA0210	Max Lite <sup>®</sup> Single-Use Earplugs	30	200	10	
SA0211	Laser Lite® Single-Use Earplugs	32	200	10	
SEK070	FirmFit <sup>®</sup> Single-Use Earplugs	30	200	10	

31

200

10

#### LS-500 LEIGHT® SOURCE EARPLUG DISPENSERS

- Ear Plug Capacity: 500 pairs
- Heavy-duty anodized aluminum construction withstands constant use
- · Mount on wall for easy access • Crank handle to dispense earplugs
- Ideal for large factories and process industries
- that have zero tolerance for packaging waste Earplugs not included



#### Honeywell

HOWARD

Model		
No.	Description	
SAK347	LS-500 Leight <sup>®</sup> Source Earplug Dispenser	_

BULK REFILLS				Sold per Bo
Model No.	Description	NRR db	Pairs /Refill	Qty /Case
SAF828	Max <sup>®</sup> Single-Use Earplugs	33	500	4
SAK343	Max Lite <sup>®</sup> Single-Use Earplugs	30	500	4
SAF827	Laser Lite <sup>®</sup> Single-Use Earplugs	32	500	4
SAK346	Multi Max® Single-Use Earplugs	31	500	4

#### PLUGSTATION® EARPLUG DISPENSERS

· Gives workers easy access to hearing protection

- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
  - Each dispenser is sealed and disposable plus completely recyclable
  - Mounting bracket with hardware included with every PlugStation®

All rated at NRR 33 dB

#### **ONE TOUCH™ EARPLUG DISPENSERS**

Multi Max<sup>®</sup> Single-Use Earplugs

- Patented "No Waste Funnel" allows . users to reuse base and dispenser
- Can be used as a table top
- or wall mounted Easy access for the user

SA0212

- from all sides
- Earplug refill bottles sold separately



Model No.	Mfg. No.	Description	
SDP096	391-0000	One Touch™ Pro Dispenser	

BULK REFILLS					Sold per Bottl
Model No.	Mfg. No.	Description	NRR dB	Size	Pairs /Refill
SAP387	391-1001	Classic™	29	One Size	500
SAH873	391-1004	Yellow Neons <sup>™</sup>	33	Regular	500
SAH874	391-1005	Yellow Neons <sup>™</sup>	33	Large	400
SAI104	391-1010	Blasts™	33	Regular	500
SFU681	391-1012	E-A-Rsoft <sup>™</sup>	33	One Size	500
SFU682	391-1100	1100	29	One Size	500





Mfg. No.	Description	Pairs /Dispenser	
6644	SparkPlugs®, Uncorded	250	
6645	SparkPlugs®, Uncorded	500	
6881	Metal Detectable SparkPlugs <sup>®</sup> , Corded	150	
6880	SparkPlugs <sup>®</sup> , Corded	150	
6844	Pura-Fit <sup>®</sup> , Uncorded	250	
6845	Pura-Fit®, Uncorded	500	
6882	Pura-Fit <sup>®</sup> , Corded	150	
6648	Camo Plugs®, Uncorded	500	
6883	Glide <sup>®</sup> , corded	150	
	No. 6644 6645 6881 6880 6844 6845 6882 6682 6648	No.         Description           6644         SparkPlugs®, Uncorded           6645         SparkPlugs®, Uncorded           6881         Metal Detectable SparkPlugs", Corded           6880         SparkPlugs", Corded           6844         Pura-Fit®, Uncorded           6845         Pura-Fit®, Uncorded           6845         Pura-Fit®, Uncorded           6882         Pura-Fit", Corded           6648         Camo Plugs®, Uncorded	No.         Description         /Dispenser           6644         SparkPlugs®, Uncorded         250           6645         SparkPlugs®, Uncorded         500           6881         Metal Detectable SparkPlugs", Corded         150           6880         SparkPlugs", Corded         150           6844         Pura-Fit®, Uncorded         250           6845         Pura-Fit®, Uncorded         500           6882         Pura-Fit", Corded         150           6648         Camo Plugs®, Uncorded         500



## **Reusable Earplugs**

## **AIR SOFT® EARPLUGS**

- · Advanced air pocket design features internal noise-blocking fins
- Four-flange rounded tapered profile creates better
- seal in the ear canal resulting in less pressure Firm stem facilitates easy insertion and removal
- Attenuation tested in accordance with ANSI \$3.19-1974



Model	Mfg.		Qty/Box	
No.	No.	Description	(Pairs)	
POLYBAGS				
SD582	DPAS-1	Uncorded	100	
SD583	DPAS-30R	Corded, Red Vinyl	100	
SD584	DPAS-30W	Corded, White Nylon	100	
REUSABLE	CASE			
SD585	AS-1	Uncorded	50	
SD586	AS-30R	Corded, Red Vinyl	50	
SD587	AS-30W	Corded, White Nylon	50	

## **SMARTFIT® EARPLUGS**


- Patented Conforming Material Technology<sup>™</sup> uses body heat
- to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control a single product fits almost every wearer
- . Detachable cord system and
- SAK348 HearPack<sup>®</sup> storage case NRR 25 dB, CSA Class AL

#### Honeywell HOWARD

			Solu per Box	
Model No.	Mfg. No.	Description	Qty/Box (Pairs)	
SAK348	SMF-30	Corded	100	

#### TRUSTFIT<sup>™</sup> POD PUSH-IN FOAM EARPLUG

- No roll-down foam reduces hygiene concerns and makes for easy insertion
- The ergonomically contoured paddle fits naturally between
- the finger and thumb, even while wearing work gloves
- Dimpled foam tip with ergonomic stem are easy to fully insert and remove
- Replace earplugs every 5 days, or if foam tip is not soft and .
- pliable, if it is damaged or detached from stem NRR dB: 28
- Certification(s): CSA Class AL



#### **FUSION® EARPLUGS**

- Patented dual material design combines firm core for easy handling with soft flanges for comfort and fit
- FlexiFirm® stem is easy to grasp, ensuring
- easy insertion into the ear canal SoftFlange<sup>™</sup> creates comfortable seal in the
- ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for
- personal comfort and safety
- . NRR 27 dB, CSA Class AL

#### Honeywell

HOWARD

Model	Mfg.		Qty/Box
No.	No.	Description	(Pairs)
SAK349	FUS30-HP	Regular, HearPack™	100
SAK350	FUS30S-HP	Small, HearPack <sup>™</sup>	100

SAK349

#### QUIET<sup>®</sup> EARPLUGS

- · Patented no-roll design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day
- comfort, easy to clean for long-term use Built-in insertion stem makes insertion quick and easy
- NRR 26 dB, CSA Class AL


Honey	Y <b>Well</b> Howard Leight	SAK351	5E359	Sold per Box
Model No.	Mfg. No.	Description	Qty/Box (Pairs)	
SAK351 SE359	QD1 QD30	Uncorded, Polybag Poly Cord, Polybag	100 100	

#### E-A-R<sup>™</sup> ULTRAFIT<sup>™</sup> PREMOLDED **REUSABLE EARPLUGS**

- Patented triple flange design to fit a wide variety of ear canal sizes
- Washable, promotes worker hygiene
- Breakaway cord protects in case of machine entanglement
- NRR 25 dB. CSA Class AL


#### MODEL SH113

- Metal detectable steel ball securely positioned in the stem and also a metal .
- detectable cord to prevent earplugs from contaminating products or processes
- · Non-food blue for visual detectability in the food processing industry




Sold per Box

## **Reusable Earplugs**



Model No.	Mfg. No.			Qty/Box (Pairs)
UNCO	RDED			
SH116	321-2100	Blue Grips	25	100
SH117	321-2200	Assorted Colour Grips	25	100
CORDE	D			
SH118	311-1114	Blue Grips	25	100
SH119	311-1115	Assorted Colour Grips	25	100



100

#### TRI-FLANGE<sup>™</sup> REUSABLE EARPLUGS

Corded

- Customized comfort reusable value
- . Soft, pliable flanges conform to the
- shape of your ear canal for a custom fit
- Stem handle allows for quick, clean insertion
- Also available with a new cloth cord

340-8002

SAP859




Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAN317	6400	Uncorded	50
SAN318	6405	Vinyl Corded	50

#### **GLIDE® TRIO REUSABLE EARPLUGS**

- · Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- · Cord can be attached at any desired length • 100% PVC-free
- NRR 27 dB, CSA Class AL Sold per box MOLDEX Mfg. Model Qty/Box No No. (Pairs) SEH046 6445 50

#### PERCAP® FOLDABLE 3-POSITION **BANDED EARPLUGS**

- Super soft pods rest outside the ear canal opening •
- Ideal for workers who do not like to put earplugs in their ears
- Wear over the head, under the chin or behind the neck •
- Compact, fits easily in a pocket
- Comfortable for both short term and long term wear
- NRR 21 dB




37

## **Hearing Bands**

#### QUIET BANDS

Ergonomic design keeps the pads suspended so they don't become contaminated Available in three different plug styles:



protection with a NRR 23 dB rating



Model	Mfg.		NRR	
No.	No.	Description	dB	
SN615	QB1HYG	QB1 <sup>®</sup> HYG Inner-Aural	27	
SN616	QB2HYG	QB2® HYG Supra-Aural	25	
SN281	QB3HYG	QB3 <sup>®</sup> HYG Semi-Aural	23	
REPLACE	MENT PODS			
SN617	QB100HYG	QB1® HYG 1 pair per pkg		
SN618	QB200HYG	QB2® HYG 1 pair per pkg		
SN279	QB300HYG	QB3® HYG 1 pair per pkg		

## 

E-A-Rflex

SH124

SH124

**SAK169 SAK170** 

SR852

SH126

E-A-Rflex<sup>™</sup>

Premolded Tips

E-A-Rflex<sup>™</sup>

Foam Tips

E-A-R Caps<sup>™</sup> Foam Caps

#### E-A-RFLEX<sup>™</sup> PREMOLDED TIPS

- · Highest protection available in a semi-insert hearing protector
- Comfortable, effective, lightweight
- alternative to earmuffs Dermatologically safe plugs are non-irritating .
- Band helps prevent loss and is • ideal for intermittent use
- NRR 24 dB when worn over the head or behind the neck, and 27 dB when worn under the chin
- CSA Class AL

#### Model Mfg.

SH124 350-	-1100 Pren	nolded Tips

#### E-A-RFLEX<sup>™</sup>

- Soft, E-A-Rform<sup>™</sup> foam tips
- · Pivoting tips for optimum fit
- Hi-Viz band
- Dermatologically safe plugs are non-irritating
- NRR 28 dB, CSA Class AL
- Model Mfg. Description Nn No. SAK169 320-1000 Foam tips **SAK170** 320-1001 Replacement tips, 5 pairs

#### E-A-R CAPS®

38

- · Non-invasive, comfortable hearing protection
- No hinged band
- Dermatologically safe plugs are non-irritating Band helps prevent loss and is
- ideal for intermittent use

•	INKK	17	αв,	CSA	Class	ВL

Model No.	Mfg. No.	Description
SR852	321-2101	Foam caps
SH126	321-2103	Replacement caps, 5 pairs

#### 3MTM E-A-RTM SWERVETM BANDED HEARING PROTECTORS

- Ultimate banded hearing protector
- Adjustable comfort, excellent attenuation
- Exceptional ergonomics with unmatched performance
- Contoured design that typically floats around the neck
- · Durable lightweight band that rebounds well for frequent use NRR 28 dB (E-A-Rflex<sup>™</sup> 28 tips) .
- CSA Class AL



SE922

#### JAZZ BAND<sup>®</sup> HEARING PROTECTORS

- Extra soft tapered foam pods gently conform to the ear canal
- · Band pressure is reduced by 50%
- A cooler and lighter
- alternative to earmuffs
- 100% PVC-free • Higher NRR 25 dB
- · Includes an extra pair of pods



M	OLD	NEX N	TITT
Model No.	Mfg. No.	Description	NON UNIVERSITY
SE922	6506	Jazz Band® w/ cord and replacement pods	
SE923	6504	Replacement pods, 5 pairs and 1 cord per bag	

#### EARPLUG BOX TRAYS

- Clear acrylic earplug dispenser tray
- holds a standard box of earplugs
- Front section catches spills and protects the corrugated dispenser
- Dimensions: 10 5/8" H x 10 5/8" W x 10 5/8" D
- · Use on table top or wall mount

Model No. SED049 Mfg. No. PD228E



## ARGE CAPACITY EARPLUG DISPENSERS

- Visually striking green glow front pocket draws attention to earplugs
- Dispenser features a removable inner slanted shelf to direct plugs toward pocket
- Comfortably holds a standard box of 200 disposable earplugs and can be wall or table mounted
- Dimensions: 13" H x 12" W x 8" D Model No. SED051
- Mfg. No. PD439G





SAK155 V3

#### **THUNDER® EARMUFFS**

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort

SAK150

- Quick-Click height adjustments
- . Dielectric design safe for electrical environments
- Features patented Air Flow Control<sup>™</sup> technology •
- for optimal attenuation across all frequencies Snap-in ear cushion makes replacement quick and easy •
- Hygiene kits available

#### **VIKING® EARMUFFS**

- Three-position headband offers more wearing options and works with helmets, shields and other equipment
- Super soft ear cushions deliver longwearing comfort •
- · Dielectric design safe for electrical environments
- · Headband straps for multiple-position wear
- Features patented Air Flow Control<sup>™</sup> technology

SAK154

V2

Honeywell

No.

- for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy





SAK149 L3

#### Honeywell HOWARD

Model	Mfg.		NRR	
No.	No.	Description	dB	
SAK150	1010928	T1, Over-Head Hearband	26	
SAK151	1010929	T2, Over-Head Hearband	28	
SA0694	1011601	T1H, Cap Mount	23	

#### **LEIGHTNING® EARMUFFS**

- Maximum protection from an earmuff .
- . Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear .
- cushions deliver longwearing comfort
- Contemporary design improves wearer compliance Telescoping height adjustment .
- Hygiene kits available •



#### LEIGHTNING® HIGH VISIBILITY EARMUFFS

- Bright green earcups provide additional visibility and contrast on the job
   Features patented Air Flow Control<sup>™</sup> technology
- for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Robust design withstands demanding use,
- especially in tough environments Ideal for roadway construction, utility workers, survey
- engineers, ferry service operators, emergency response workers, railroad workers, and many others





#### Honeywell

HOWARD

Model	Mfg.		NRR	
No.	No.	Description	dB	
SAK147	1010922	L1, Over-Head Hearband	25	
SAK149	1010924	L3, Over-Head Hearband	30	

#### **LEIGHTNING® EARMUFFS**

- Easy storage when not in use
- Exremely lightweight design rests comfortably on the head
- Lower attenuation provides reliable protection
- against marginal noise or intermittent exposure Makes cushion replacement quick and easy
- LON can be worn with welding shields, hardhats and other PPE •
- Robust design withstands demanding use,
- especially in tough environments

### **IMPACT® SPORT EARMUFF**

- Amplifies ambient sound to safe 82 dB · Allows wearers to hear important
- communications, including environmental sounds Directionally-placed stereo microphones amplify
- and enhance sound for more natural hearing Low-profile design
- · Features patented Air Flow
- Control technology
- Snap-in ear cushions make
- replacement quick and easy
- AUX input allows connection to external MP3 players or other audio devices
- CSA Class: B



Honeywell

HOWARD

Model	Mfg.		NRR	
No.	No.	Style	dB	
SGG272	1030942	Headband	22	

#### **IMPACT® PRO INDUSTRIAL EARMUFFS**

- Amplifies ambient sound to safe 82 dB response technology revert to passive hearing protector when noise reaches 82 dB
- All-in-one up and down, on/off and volume control Non-deforming outer headband withstands
- rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Sound amplification allows wearers to hear important communication -alarms/warning signals, co-workers' voices
- Snap-in ear cushions make
- replacement quick and easy Features 3.5mm audio jack and cable
- for connection to personal devices Hygiene kit available
- CSA Class: AL

#### Honeywell

HOWARD

Model	Mfg.		NRR	
No.	No.	Style	dB	
SFU874	1030943	Headband	30	

#### THUNDER® C

- New design allows for visors for complete inte
- Easily and securely atta several models of Nort
- Simply press down on
- snap earmuffs into plac Sleek design; lower pro
- attract less dirt for bet Easy height adjustment provides a
- better fit for greater wearer comfort Ear cups snap in place during use
- and swing back when not in use
- CSA Class: A

#### Honeywell

HOWARD

Model	Mfg.		NRR	
No.	No.	Style	dB	
SFU603	EM2177-HL	Cap Mount	23	



HOWARD

SAO697

Model	Mfg.		NRR	
No.	No.	Style	dB	
SA0690	1013460	LON, Neckband	22	
SA0697	1013461	LOF, Foldable	23	

#### **CLARITY® EARMUFFS**

- Patented Sound Management Technology™ (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) and can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments
- where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Hygiene kits available •



Model	Mfg.		NRR
No.	No.	Description	dB
SAK157	1011142	C1, Over-Head Headband	20
SAK159	1011146	C3, Over-Head Headband	27

Style	qR
Headband	30
CAP MOUNTED	FARMUFF
attachment of North Face shiel	
egrated protection on the job	u
aches earmuffs to	
th Hard Hats	
the fork to	
ce	
ofile cups	
ter hygiene	





#### LEIGHTNING® CAP MOUNTED EARMUFF

- Unique cup design gives first class comfort at all time
- Large, flexible and comfortable cushions offering equal distribution of pressure
- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control<sup>™</sup>
- technology for optimal attenuation
- Colour: Black/White
- Hygiene kits available •
- · Compatible with most standard hardhats, excluding full brim hardhats. •
- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control<sup>™</sup> technology for optimal attenuation
- CSA Class A

## Honeywell

## HOWARD

Model No.	Mfg. No.	Description	NRR dB	
SAH731	EM7206-HL	Cap Mount	27	

#### QM24+ EARMUFF

- · Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use
- Ultra lightweight design. Weighing only 6 oz
- Alternative to cap-mounted earmuffs wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments · Multiple-position headband
- allows wearer to select position over the head, behind the head or under the chin
- NRR dB: 25

## Honeywell

HOWARD

Model	Mfg.		NRR	
No.	No.	Description	dB	
154-1205	QM24PLUS	Headband	25	

#### SYNC<sup>®</sup> WIRELESS EARMUFF

- Easy push button connectivity pair with mobile device via Bluetooth®
- Volume control buttons
- · Flashing colored lights to indicate different settings
- Robust boom mic, for rugged industrial use •
- Boom mic with windsock, for voice
- clarity in high noise environments . USB charging cable & wall charger included
- (full length of charge time is 5 hours) Lithium Ion battery built in with
- 12+ hours of battery life while streaming CSA Class: AL

## Honeywell

HOWARD

Model	Mfg.		NRR	
No.	No.	Description	dB	
SFU875	1030945	Headband	25	
SFU876	1015280	Hygiene Kit	-	

#### **MX-5 EARMUFF**

- · Soft cushion-ribbed open air headband for cool comfort all day long
- · Larger ear cushions allow freedom
- to fit almost all ears comfortably Extra soft foam, low pressure cushions
- and headband are PVC-free
- Glossy surface for easy cleaning and longer wear CSA Class Al



Model No.	Mfg. No.	Description	NRR dB	
SDK993	6120	Headband	27	
SDK995	6125	Hygiene Kit	-	

#### **MX-6 EARMUFF**

OLDEX

- Soft cushion-ribbed open air headband for cool comfort all day long
- · Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam, low pressure cushions and headband are PVC-free
- Exclusive waffled cup foam
- for superior NRR protection CSA Class AL



MOL	DEX

Model No.	Mfg. No.	Description	NRR dB	
SDK994	6130	Headband	30	
SDK996	6135	Hygiene Kit	-	

#### SYNC<sup>®</sup> RADIO **HI-VISIBILITY EARMUFFS**

- Limits sound radio volume to 82 dB
- Bright green ear cups and reflective headband provide high visibility
- Built-in AM/FM radio provides high sounds quality, excellent stereo reception
- AUX input jack for connection to MP3 players or other audio devices (includes 3.5 mm connection cable)
- Features patented Air Flow Control<sup>™</sup> technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- 140-hour battery life from
- 2 AA batteries (included) Hygiene kits available

#### Honeywell HOWARD

Model No. Mfg. No	Description	NRR dB
SEI616 1030390	Headband, Hi-Vis	25





SEI616



# 131 HOWARD DA





#### 3M<sup>™</sup> PELTOR<sup>™</sup> OPTIME<sup>™</sup> 95 SERIES EARMUFFS

- · Comfort engineered for continuous daily use
- Slim tapered dome for use with hardhat and face protection equipment
- Ultra light with liquid/foam filled ear cushions .
- Exclusively engineered for the computer industry
- Also suitable for technical training schools, printing facilities, textile industries and home power equipment use
- CSA Class: B Colour: White

## PELTOR"



Model	Mfg.		NRR	Wt.	
No.	No.	Description	dB	0Z.	
SC175	H6A/V	Headband	21	5.8	
SC176	H6B/V	Neckband	21	5.3	
SC177	H6P3E/V	Cap Mount	21	6.9	
SAG847	H6F/V	Foldable	21	6.5	

#### 3MTM PELTORTM OPTIMETM **98 SERIES EARMUFFS**

- · Slim tapered upper dome, excellent for use with hard hat and face protection equipment
- Broad foam cushions give low, comfortable surface pressure · Pressure equalization air openings, quickly ensure
- the correct pressure to the eardrum
- Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment

<ul> <li>Colour: Yel</li> <li>Hygiene kin</li> </ul>		1 Alexandre		SC172
	TOF	<b>⊰™ 3</b> M		
Model	Mfg.		NRR	Wt.
Model No.	Mfg. No.	Description	dB	0Z.
Model	Mfg.			

#### PTL<sup>™</sup>, PUSH-TO-LISTEN EARMUFFS THE ONLY MUFF THAT LETS WORKERS LISTEN

- SAFELY WITHOUT REMOVING THEIR EARMUFFS
- With the touch of a button, hear co-workers more clearly . Padded, wide headband with four-point steel
- suspension improves hold with less pressure
- On/Off listening button with fingertip control
- . Patented liquid and foam-filled cushions
- for optimum seal and comfort Pivoting ear cups tilt to easily
- fit most facial profiles
- Push-to-listen feature in one ear cup only, other cup is standard protective style
- CSA Class A Hygiene kits available

#### PELTOR

Model No.	Mfg. No.	Description	NRR dB	
SAM366	H7A-PTL	Headband	26	
SAM367	H7P3E-PTL	Cap Mount	25	

SAM367



#### 3M<sup>TM</sup> PELTOR<sup>TM</sup> HIGH VISIBILITY **OVER-THE-HEAD EARMUFFS**

- High visibility, international orange colour for easy identification
- · Comfortable for continuous use
- · Broad ear cushions with combined liquid and foam filling gives the sealing advantages of the liquid ring and good
- comfort of the foam ring in warm and cold conditions Especially suitable for forestry and airport environments
- CSA Class A
- · Hygiene kits available



# PELTOR

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC169	H31A	Headband	24	7.2
SC170	H31P3E	Cap Mount	23	8.3

#### 3M<sup>TM</sup> PELTOR<sup>TM</sup> OPTIME<sup>TM</sup> **101 SERIES EARMUFFS**

- · Designed for maximum attenuation in a severe noise environment
- Soft sealing cushions easily replaceable by press-and-snap function
- Suitable for agriculture, construction equipment, heavy industry and airports
- CSA Class A
- Colour: Green .
- · Hygiene kits available





Model	Mfg.		NRR	Wt.
No.	No.	Description	dB	0Z.
SC165	H7A	Headband	27	7.8
SC166	H7B	Neckband	26	7.2
SC167	H7P3E	Cap Mount	24	8.8

## **Earmuffs & Headsets**



#### 3M<sup>™</sup> PELTOR<sup>™</sup> OPTIME<sup>™</sup> 105 SERIES EARMUFFS

- Dual cup ultra high attenuating hearing
- protector for extremely high noise environments
- Wide ear cushions are filled with a foam which provides
- excellent sealing properties, good fit, and low surface pressure
- Ear cushions are easily replaceable with a simple press-and-snap function
- The outer layer consists of a specially developed hygienically
- textured plastic, allowing for ventilation and durability
- CSA Class ALColour: Black with red trim
- Hygiene kits available
- Hygiene kits available

PELTOR	5
--------	---

Model	Mfg.		NRR	Wt.
No.	No.	Description	dB	0Z.
SC161	H10A	Headband	30	9.3
SC162	H10B	Neckband	29	8.8
SC163	H10P3E	Cap Mount	27	10.4

#### 3M<sup>™</sup> PELTOR<sup>™</sup> X SERIES EARMUFFS

- The X-Series earmuffs are 3M's latest advancement in hearing conservation
- This low-profile earmuff is designed for protection against
- low-level industrial noise and other loud sounds
- Earcup pivot points tilt for optimum comfort and efficiency
- Hygiene kit available
- Compatible with WS-CUSH Peltor Wireless
- Bluetooth Communication accessory





Model No.	Mfg. No.	Description	CSA Class	NRR dB	
SEJ034	X1A	Peltor™ X1, Over-Head Headband	Α	22	
SEJ035	X2A	Peltor™ X2, Over-Head Headband	А	24	
SEJ036	X3A	Peltor™ X3,Over-Head Headband	AL	28	
SEJ037	X4A	Peltor™ X4, Over-Head Headband	AL	27	
SEJ038	X5A	Peltor™ X5, Over-Head Headband	AL	31	
SGC394	X1P5E	Peltor™ X1P, Cap Mount	-	21	
SGC395	X2P5E	Peltor™ X2P, Cap Mount	-	24	
SGC396	X3P5E	Peltor™ X3P, Cap Mount	-	25	
SGC397	X4P5E	Peltor™ X4P, Cap Mount	-	25	
SGC398	X5P5E	Peltor™ X5P, Cap Mount	-	31	

#### PELTOR™ WIRELESS COMMUNICATION X-SERIES EARMUFF ACCESSORY

- Designed for communicating in noisy environments
- Noise-cancelling microphone
- Bluetooth® wireless technology for connecting to your smartphone
- Resistant to harsh environmental elements including
- temperature fluctuations, sweat and rain
- Designed to be comfortable for all-day wearability
- Approximately 8 hours of talk/streaming time
  Approximately 250 hours of stand-by time
- Approximately 250 nours of stand-by
   Approximate 3-hour charge time
- Streaming Bluetooth<sup>®</sup> audio is limited to 82dBA

#### Model No. SGI667 MFG No. WS-CUSH



#### **TACTICALPRO**<sup>TM</sup>

FOLDING INDUSTRIAL AND PROFESSIONAL SHOOTER ELECTRONIC AMBIENT LISTENING HEADSET

- · When clear ambient sound and voice recognition is required in your noisy
- environment, rely on the latest line of electronic headsets from Peltor • Designed with a unique frequency response that amplifies signals, voices and warning
- sirens while at the same time instantaneously suppressing dangerous impulse noises
  Perfect choice for a wide variety of applications including: gun ranges, forklift drivers,
- airport ground personnel, maintenance mechanics and hearing-impaired workers

#### Hygiene kits available

Audio input jack

.

#### **BLACK FOLDING HEADBANDS**

- Electronic headset
- Two AA batteries for 270 hours of operation
- SAK591: NRR 26 dB, CSA Class A
- SAK592: NRR 25 dB, CSA Class A

#### TACTICAL 6 SLIM LINE

- Electronic headset
- Individual cup volume control
- Four AAA batteries for 200 hours of operation
- NRR 20 dB, CSA Class B
- Colour: Grey







Model No.	Mfg. No.	Description	NRR dB	
SAK591	MT15H7FSV	Headband	26	
SAK592	MT15H7BSV	Neckband	25	
SED671	MT15H67FB-01	Tactical 6	20	
SAK700	88009-00000	Rechargeable Ni-MH Battery Pack Kit	-	

## **Earmuffs & Headsets**

#### **HT SERIES**

#### LISTEN-ONLY HEADSETS DESIGNED FOR USE WITH VHF/ UHF PERSONAL STEREOS OR VOICE PAGE SYSTEMS

Peltor® listen-only headsets come with a variety of connector plugs and will fit most portable stereos, UHF/VHF two-way radios, CD players, FM radios and voice page systems. In addition to offering high quality audio these headsets also provide excellent noise attenuation.

#### FEATURES:

- Stereo or mono versions
- Stereo versions available with or without output limiter (82 dBA)
- Three headband configurations available:
- over-the-head, neckband or hard hat mount Excellent protection
- Lightweight design
- Soft, liquid and foam cushions for
- excellent seal and low pressure
- 2.5mm 3.5mm speaker plugs sold separately
- Hygiene kit available



PELTOP

#### WORKTUNES<sup>™</sup> PRO EARMUFFS

- Offers 10 AM/FM presets
- Integrated antenna (no snagging) • •
- Voice guided menu
- Lightweight

.

- Uses 3.5 mm jack for audio input
- Provides excellent reception with no interference, even in harsh conditions · Comfortable for extended use, with
- soft cushions for low pressure 1 year warranty
- CSA Class: A



#### PELTOR

**EARMUFFS FOR** 

Model No.	Mfg. No.	Description	NRR dB	
SFV203	HRXS221A-NA	Headband	26	

Model No.	Mfg. No.	Description	NRR dB	
HN384	HTM79A	Headband Mono	25	
HN386	HTM79B	Neckband Mono	24	
HN387	HTM79P3E	Cap Mount Mono	23	

## XLS, CSA CLASS A

- The XLS has been specifically designed to offer quality, comfort and protection at an affordable price
- The space age plastic provides rugged durability in harsh environments
- May be adjusted to six different positions
- Extra wide headband provides secure fit
- Hygiene kits available

## MSA

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	
SAN234	10061535	Cap Mount	22	6	

#### EXC, CSA CLASS A

- · Wide headband with ventilated padding provides a firm fit and a high level of comfort with maximum protection
- Two point mounting system ensures pressure is distributed evenly around the cushion
- Press-and-snap function makes it •
- easy to replace ear cushion
- Contoured sealing ring feature • provides the best possible seal
- Also suitable for dielectric applications
- · Hygiene kits available

MSA

44



Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	
SAN237	10061230	Cap Mount	24	7.6	





Model No.	Mfg No.	Description	NRR dB
SEL083	10087439	Left/Right White Helmet Mounted Ear Muffs	21
SEK032	10087429	Left/Right Blue Helmet Mounted Ear Muffs	25
SEL102	10087422	Left/Right Yellow Helmet Mounted Ear Muffs	28

## Honeywell

WHAT'S INSIDE

# HEARING PROTECTION



#### SOME OF OUR LATEST INNOVATIONS AND TOP SELLERS:

TrustFit<sup>™</sup> Pod Push-in foam reusable earplugs, Sync<sup>®</sup> wireless earmuff, the family of Cap-Mounted Earmuffs, the disposable earplug dispensers and more!

### Your employees deserve the best hearing protection, period.

From technical innovations to educational initiatives to field verification, we offer a suite of resources to make Hearing Conservation happen. The Howard Leight brand is a global leader in passive and intelligent hearing protection solutions, and the founder of the HearForever® Hearing Conservation initiative. For more than 30 years, we have pursued the prevention of occupational hearing loss through innovation in hearing protection design, technology, performance, comfort, and the promotion of progressive Hearing Conservation programs.



HL400 Earplug Dispenser



Sync Wireless Earmuff



TrustFit Earplugs

FirmFit Earplugs



Cap Mounted-Leightning Earmuff



Impact Pro Industrial Earmuff



LS500 Earplug Dispenser



Vending Packs-MAX Disposable Earplugs





#### **DISPOSABLE EARPLUGS**





### Howard Leight MAX® Family

Superior noise-blocking performance in a single-use earplug.

- The world's most-used polyurethane foam earplug
- Contoured bell shape is easy to insert
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up
- MAX USA in patriotic red/white/blue colors
- MAX Small is 20% smaller version of flagship Howard Leight MAX earplug, ideal for workers with smaller ear canals.
- MAX Lite low-pressure polyurethane foam expands gently for comfortable long-term wear
- MAX Lite is ideal size for workers with smaller ear canals
- MAX Lite has a contoured T shape for easy handling and wear

SKU	Cording	Packaging	NRR	Canada Class
MAX-1	Uncorded	Polybag	33	A(L)
MAX-1-USA	Uncorded	Polybag	33	A(L)
MAX-5	Uncorded	5PR Resealable Bag	33	A(L)
MAX-1-PB	Uncorded	Paper Bag	33	A(L)
MAX-LS4	Uncorded	Refill Bag for Leight Source 400	33	A(L)
MAX-1-D	Uncorded	Refill Box for Leight Source 500	33	A(L)
MAX-1-D-USA	Uncorded	Refill box for Leight Source 500	33	A(L)
MAX-30	Corded	Polybag	33	A(L)
MAX-30-USA	Corded	Polybag	33	A(L)
MAX-5-30	Corded	5PR Resealable Bag	33	A(L)
MAX-30-PB	Corded	Paper Bag	33	A(L)
MAX-1S	Uncorded	Polybag	30	A(L)
MAX-30S	Corded	Polybag	30	A(L)
MAX-1S-D	Uncorded	Refill Box for Leight Source 500	30	A(L)
LPF-1	Uncorded	Polybag	30	A(L)
LPF-5	Uncorded	5PR Resealable Bag	30	A(L)
LPF-1-PB	Uncorded	Paper Bag	30	A(L)
LPF-LS4	Uncorded	Refill Bag for Leight Source 400	30	A(L)
LPF-1-D	Uncorded	Refill for Leight Source 500	30	A(L)
LPF-30	Corded	Polybag	30	A(L)
LPF-5-30	Corded	5PR Resealable Bag	30	A(L)
LPF-30-PB	Corded	Paper Bag	30	A(L)
LPF-30-P	Cotton Cord	Paper Bag	30	A(L)

#### **REUSABLE EARPLUG**







DPAS-1



Howard Leight Clarity<sup>™</sup>

Enhanced communication.

- Minimizes employee isolation by enhancing communication
- Patented SMT<sup>™</sup> (Sound Management Technology) filter technology uniformly attenuates low, mid, and high frequencies while higher frequencies (voice, signals, alarms) can be heard more naturally
- Two sizes fine-tune fit for personal comfort and safety

SKU	Size	Cording	Packaging	NRR	Canada Class
1005329	Regular	Corded	Reusable Case	21	B(L)
1005328	Small	Corded	Reusable Case	21	B (L)

#### Howard Leight AirSoft®

Optimized for comfort.

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Provides more comfort than other flanged, reusable earplugs due to the softer flanges not applying as much pressure
- Firm stem facilitates easy insertion and removal

SKU	Cording	Packaging	NRR	Canada Class
DPAS-1	Uncorded	Polybag	27	A(L)
DPAS-30R	Red Polycord	Polybag	27	A(L)
DPAS-30W	White Nylon Cord	Polybag	27	A(L)
AS-30R-5	Red Polycord	5PR Resealable Bag with Reusable Case	27	A(L)
AS-30W-5	White Nylon Cord	5PR Resealable Bag with Reusable Case	27	A(L)
AS-1	Uncorded	Reusable Case	27	A(L)
AS-30R	Red Polycord	Reusable Case	27	A(L)
AS-30W	White Nylon	Cord Reusable Case	27	A(L)

#### Howard Leight Quiet®

Easy handling, better fit.

- Contoured shape comfortably matches contours of the ear canal
- Patented "no roll" design is easy to handle and fit
- Built-in insertion stem makes insertion quick and easy
- Three sizes fine-tune personal fit

QD1 QD1-SM	Regular Small	Uncorded Uncorded	Polybag	26	A(L)
QD1-SM	Small	Uncorded			
		oncoraca	Polybag	26	A(L)
QD1-LG	Large	Uncorded	Polybag	26	A(L)
QD30	Regular	Corded	Polybag	26	A(L)
QD-5	Regular	Uncorded	5PR Resealable Bag	26	A(L)
QD-5-30	Regular	Corded	5PR Resealable Bag	26	A(L)
QD30-SM	Small	Corded	5PR Resealable Bag	26	A(L)
QD30-LG	Large	Corded	5PR Resealable Bag	26	A(L)
QD-1-DS	Regular	Uncorded	Refill Box for Leight Source 500	26	A(L)
QD1-RC	Regular	Uncorded	Reusable Case	26	A(L)
QD30-RC	Regular	Corded	Reusable Case	26	A(L)









#### Howard Leight Laser Trak®

High visual and metal detectability.

- Non-ferrous metal grommet and bright colors easily detected by visual and automated inspection
- Formable foam expands to fit most wearers
- Contoured T-shape for easy insertion and wear

SKU	Cording	Packaging	NRR	Canada Class
LT-30	Corded	Polybag	33	A(L)
LT-30-5	Corded	5PR Resealable Bag	33	A(L)

#### Howard Leight SmartFit®

All-day comfort, easy handling, and detectability.

- Conforming Material Technology<sup>™</sup> adapts to the shape of the surrounding ear canal when in your ear
- Delivers superior comfort and a truly individual fit
- Blue color provides high visibility in detection
- Metal ring on stem detectable by automated equipment

SKU	Cording	Packaging	NRR	Canada Class
SDT-30	Polycord	Polybag	25	A(L)
SDT-30-5	Polycord	5PR Resealable Bag	25	A(L)
SMF-30BU	Blue/Nylon Cord	Polybag	25	A(L)

#### Howard Leight Fusion®

All-day comfort and easy handling.


- Patented dual material design
- Attached cord and metal stem ring easily detected by automated equipment
- Blue color provides high visibility in detection
- Two sizes fine-tune fit for personal comfort and safety

SKU	Size	Cording	Packaging	NRR	Canada Class
FDT-30	Regular	Corded	Hearpack	25	A(L)
FDT-30-SM	Small	Corded	Hearpack	25	A(L)

HOWARD

I FIGHT





**HEARING PROTECTION** 

#### **PLUGSTATIONS / ECOSTATIONS**

Corded and Uncorded

HEARING



# **DISPOSABLE FOAM EARPLUGS** Highest Independently tested NRRs

Goin' Green®	Uncorded	Corded	PlugStations	and re	ed shape for easy emoval. rritating smooth s	
						I.
NRR 33 dB				Part # 6620 6622 6647 6646	Display Qty. 200 Pairs/Box 100 Pairs/Box 500 Pairs 250 Pairs	Case Qty. 10 Boxes 20 Boxes 4 Dispensers 6 Dispensers
	6620	6622	6647 6646			
Meteors®	Uncorded	Corded	PlugStation EcoStation	ear ca • Innova	ontours follow the anal. ative undercut de e fit, all day long.	sign affords a
NRR				Part #	Display Qty.	Case Qty.
NRR 33 dB	6870	6970	6875 6707	6870 6970 6875 6707 6708	200 Pairs/Box 100 Pairs/Box 500 Pairs 500 Pairs 500 Pairs	10 Boxes 20 Boxes 4 Dispensers 4 Starter Packs 4 Snap-in Refills
Meteors,® Small						
NRR	Uncorded	Corded	PlugStation	worke • The c ear ca	ned for women a ers with smaller e ontours follow th anal which mean e smallest diamet anal.	ear canals. e shape of the s less pressure
NRR 28 db	Uncorded	Corded	PlugStation	worke • The c ear ca at the	ers with smaller e ontours follow th anal which mean smallest diamet	ear canals. e shape of the s less pressure
NRR 28 dB	Uncorded	Corded	PlugStation	• The c ear ca at the ear ca	ers with smaller e ontours follow th anal which mean e smallest diamet anal.	ear canals. e shape of the s less pressure er of the
Softies®		0		• Radia comp	ers with smaller e ontours follow th anal which mean e smallest diamet anal. Display Qty. 200 Pairs/Box 250 Pairs 250 Pairs	ear canals. e shape of the s less pressure er of the <b>Case Qty.</b> 10 Boxes 20 Boxes 6 Dispensers
	6630	6632	6634	<ul> <li>Worke</li> <li>The c ear ca at the ear ca</li> <li>Part #</li> <li>6630</li> <li>6632</li> <li>6634</li> <li>Radia comp</li> <li>Taper remov</li> </ul>	ers with smaller e ontours follow th anal which means e smallest diamet anal. Display Qty. 200 Pairs/Box 200 Pairs/Box 250 Pairs nt orange color fi liance checks. ed shape for eas val.	ear canals. e shape of the s less pressure er of the <b>Case Qty.</b> 10 Boxes 20 Boxes 6 Dispensers or easy y insertion and